



## DESCRIPTION

Item 35- The glazed roof item

- Coefficient of heat transfer through the bundle of the profiles  $U_f = 1.6 \text{ W / m}^2\text{K}$

- Item contains 11 panels prepared for thickness of 34mm

- Dimensions of the item 145x1600cm

The price includes the element of gutter, according to the appropriate Detail drawing.

The whole item is to be ordered in consultation with the designer and the investor, and made and installed following the instructions of the selected manufacturer.

All measures are to be checked on the spot.

## OPIS

Pozicija ostakljenog krova

-koeficijent prolaza toplote kroz snop profila  $U_f=1,6 \text{ W/m}^2\text{K}$

-pozicija sadrži 11 polja pripremljenih za debljinu 34mm

-dimenzije pozicije

145x1600cm

Cijelu poziciju naručiti u dogovoru sa projektantom i investitorom, a izraditi i ugraditi prema uputama odabranog proizvođača.

**Sve mjere provjeriti na licu mjesta.**

LEVEL/SPRAT	PCS./KOM
BASEMENT FLOOR/ PODRUM	0
GROUND FLOOR PRIZEMLJE	1
1st FLOOR/ PRVI SPRAT	0
2nd FLOOR/ DRUGI SPRAT	0
3rd FLOOR/ TREĆI SPRAT	0
4th FLOOR/ ČETVRTI SPRAT	0

TOTAL PCS./UKUPNO

1